

P907-D经济型通用压力传感器



P907-D为一
， 于



304不 ， ，
中 。



与 。




，


， IP65



...



P907-D	
	0-5bar..60 bar
	1.5%F.S.(0~ 50°C); 3%F.S.(-20~ 80°C)
二	三
4~ 20mA	0.5~ 4.5 V
12~ 30VDC	5VDC±5%
	-20~ 80°C
	-40°C~ 85°C
	0~ 50°C
	Packard 3 , IP65
	G1/4", 1/4"NPT
	SUS304不 () 316不 ()
	()
	、 、
	10Hz, 3mm/
	<10mA
	150%F.S.
	2,000,000 (10%-90%)
	2.5k



, mm



		Packard	
	义		
			Shield
			Vcc+
			Si+
	义		
			GND
			Vcc+
			Si+

907-D												
-1-0..200 bar												
G=												
E5= 4-20mA(2) E8= 0.5-4.5V(3)												
S10=12-30VDC S6=5VDC												
3= 1/4" NPT 6=G1/4" 5=NPT 1/8"												
1=7/16-20UNF X=												
1=SUS304不 2=												
A8=1.5%F.S A11=3%F.S												
000= 001=1 X=												
907D	100	G	E5	S10	3	1	A8	001				